

SYSTIMAX[®]
COMMSCOPE

GigaSHIELD™ X10D (F/UTP)

Solution guide: NAR

Contents

| | |
|--|----|
| The GigaSHIELD X10D shielded Cat 6A portfolio..... | 2 |
| GigaSHIELD X10D F/UTP cables..... | 3 |
| GigaSHIELD X10D F/UTP patch cords..... | 4 |
| GigaSHIELD MGS600S information outlets..... | 5 |
| GigaSHIELD X10D patch panels..... | 6 |
| Faceplates..... | 7 |
| Modular flush-mount faceplates | 7 |
| Stainless steel faceplates | 8 |
| Surface-mount boxes..... | 9 |
| DIN rail | 10 |
| InstaPATCH® Cu connectivity system | 11 |
| imVision automated infrastructure management (AIM) | 13 |
| VisiPORT™ solution | 15 |
| Supported and warrantied by SYSTIMAX Assurance™ | 16 |

The GigaSHIELD X10D shielded Cat 6A portfolio



For more than 40 years, SYSTIMAX® customers and partners have informed and inspired our endless innovation. We asked them what they needed in their Category 6A shielded solution.

They answered: **“More of what matters most.”**

- **More effective shielding** that consistently meets throughput and latency requirements
- **More streamlined processes** to accelerate deployment, change management and scaling
- **More design flexibility** to quickly modify and reconfigure channels—indoors and out
- **More automated network intelligence** to driver faster, more accurate decision making
- **More manageable jumpers** that are thinner and easier to handle and connect
- **More end-to-end thinking** that transforms individual components into a unified platform
- **More sustainability**, from eco-friendly/installer-friendly packaging to energy savings


The result of those conversations is the GigaSHIELD X10D portfolio, an end-to-end shielded Cat 6A platform that delivers optimal shielding, design flexibility, infrastructure intelligence, fast deployment, easy management and sustainability.

Available as an F/UTP design, the GigaSHIELD X10D platform is manufactured and tested to exceed the standards-based specifications for channel performance. It is the only shielded Cat 6A solution that is fully backed and supported by SYSTIMAX Assurance, among the industry’s most comprehensive customer support programs.

GigaSHIELD X10D F/UTP cables

GigaSHIELD X10D F/UTP cables are at the heart of the GigaSHIELD X10D portfolio. Their four-pair construction with aluminum foil tape and isolator center member provide an extra margin of performance for high-bandwidth applications. As a result, the electrical performance of GigaSHIELD X10D shielded cables is guaranteed to meet or exceed the channel specifications of Amendment 1 to ISO/IEC 11 801:2002 Class E_A and ANSI/TIA-568-C.2 Category 6A up to 500 MHz. ¹

- Supports network line speeds of 10Gbps and beyond.
- Qualifies for SYSTIMAX 25-Year Extended Product Warranty and Applications Assurance¹.
- All cables constructed with a single white jacket and packaged on reels



| MID | Description | Jacket | Length |
|-----------|--------------------------------|--------|--------|
| 760081406 | 1291B WHT C6A 4/23 F/UTP R1000 | Riser | 305 m |
| 760122648 | 2291B WHT C6A 4/23 F/UTP R1000 | Plenum | 305 m |

¹When used as part of a GigaSHIELD X10D F/UTP channel in registered SYSTIMAX installations

GigaSHIELD X10D F/UTP and S/FTP patch cords

SYSTIMAX GigaSHIELD X10D F/UTP and S/FTP patch cords ensure modular flexible and best-in-class EMI / RFI rejection performance for reliable patching in noisy environments. Innovative design and consistent precision manufacturing combine to create dramatically lower performance variation and excellent end-to-end signal integrity. Patch cord performance has been characterized in thousands of channel configurations using modal decomposition modeling.

The GigaSHIELD X10D patch cord family also helps speed installation and reduce errors. A patented plug design features a distinctive metallized construction, low-profile rear housing, and anti-snag latch for easy, error-free installation and rapid field identification.



| Material ID | Description | Environmental Space | AWG | Length* |
|-------------|--|---------------------|-----|---------|
| CA111H2 | GigaSHIELD X10D® G10SP on S/FTP Modular Patch Cord | Non-Plenum | 26 | 1-30 m |
| CA111K2 | GigaSHIELD X10D® G10SP on S/FTP LSZH Modular Patch Cord | LSZH | 26 | 1-30 m |
| CAP11K2 | GigaSHIELD X10D® G10SP on S/FTP LSZH Modular Patch Cord, Eco-packaging | LSZH | 26 | 1-30 m |
| CO1MMN2 | MiNo6A Shielded F/UTP LS-CM Dual Rated Modular Patch Cord | Non-Plenum LSZH | 28 | 1-40 m |
| COPMMN2 | MiNo6A Shielded F/UTP LS-CM Dual Rated Modular Patch Cord, Eco-packaging | Non-Plenum LSZH | 28 | 1-40 m |

G10SP Cords MATID configurator

CA - -

Jacket Color

| | |
|---|-----------|
| 1 | Black |
| 3 | Dark Grey |
| 6 | Orange |
| 7 | Red |
| 8 | White |
| 9 | Yellow |
| C | Gray |
| L | Violet |
| M | Green |
| Z | Blue |

Length

Unit of measure

| | |
|---|------------|
| F | Feet |
| M | Meter |
| N | Inch |
| C | Centimeter |

*Cords >1m are authorized for use in channels and are an effective standalone method used to connect active devices.

MiNo6A Shielded Cords MATID configurator

CO - -

Jacket Color

| | |
|---|--------------|
| 1 | Black |
| 2 | Light Blue |
| 3 | Dark Gray |
| 4 | Spring Green |
| 6 | Orange |
| 7 | Red |
| 8 | White |
| 9 | Yellow |
| K | Pink |
| L | Purple |
| Z | Blue |

Length

Unit of measure

| | |
|---|------------|
| F | Feet |
| M | Meter |
| N | Inch |
| C | Centimeter |

Cords < 1m are also valid elements for use in a channel or as an equipment interconnect but due to their limited length are not guaranteed to meet component compliance requirements that were developed to assess the quality of longer cords.

GigaSHIELD MGS600S information outlets

A key advantage of the GigaSHIELD X10D platform is a new and innovative MGS600S RJ45 outlet jack with a compact M-series footprint. The MGS600S builds on the legacy of the GigaSHIELD X10D solution modular jack design. When deployed with the SYSTIMAX JTT termination tool, these outlets install accurately, quickly and consistently. The new GigaSHIELD MGS600S jack comes in six colors with 24 jacks in each eco-friendly package.



| Material ID | Product # | Description |
|-------------|---------------|---|
| 760258299 | MGS600S-BK-24 | GigaSHIELD X10D M-Series modular jack, RJ45, Cat 6A shielded, black (24 ea/pkg) |
| 760258301 | MGS600S-WH-24 | GigaSHIELD X10D M-Series modular jack, RJ45, Cat6A shielded, white (24 ea/pkg) |
| 760258302 | MGS600S-GY-24 | GigaSHIELD X10D M-Series modular jack, RJ45, Cat6A shielded, gray (24 ea/pkg) |
| 760258303 | MGS600S-IV-24 | GigaSHIELD X10D M-Series modular jack, RJ45, Cat6A shielded, ivory (24 ea/pkg) |
| 760258305 | MGS600S-BL-24 | GigaSHIELD X10D M-Series modular jack, RJ45, Cat6A shielded, blue (24 ea/pkg) |
| 760259906 | MGS600S-GN-24 | GigaSHIELD X10D M-Series modular jack, RJ45, Cat6A shielded, Green (24 ea/pkg) |

* Other colors on request

GigaSHIELD X10D patch panels

GigaSHIELD X10D patch panels leverage the design of CommScope's popular SYSTIMAX 360™ shielded modular panels. The shielded modular panels offer easy cable routing and bundling through an innovative rear cable management design. They are available in 24-port/1U and 48-port/2U sizes and with straight and angled faces. GigaSHIELD X10D panels come with 24 or 48 of the new MGS600S outlets. (Empty GigaSHIELD X10D panels can be ordered to use with InstaPATCH only)

The panels also offer complete integration with the SYSTIMAX InstaPATCH® solution, which reduces installation time up to a fraction of the time needed for field-terminated solutions. GigaSHIELD X10D patch panels also integrate with the SYSTIMAX imVision® and VisiPORT™ solutions to deliver the port and network intelligence needed to manage the infrastructure for maximum operational efficiency and sustainability.



GigaSHIELD X10D modular panels

| Material ID | Product # | Description (each panel includes 24 or 48 jacks) |
|-------------|-------------------------|--|
| 760237062 | 360-IPR-SMOD-6A-1U-24 | SYSTIMAX 360™ GigaSHIELD X10D shielded modular panel, Cat 6A, 1U, 24 port, silver |
| 760237063 | 360-IPR-SMOD-6A-2U-48 | SYSTIMAX 360™ GigaSHIELD X10D shielded modular panel, Cat 6A, 2U, 48 port, silver |
| 760237064 | 360-IPR-SMOD-A-6A-1U-24 | SYSTIMAX 360™ GigaSHIELD X10D shielded angled modular panel, Cat 6A, 1U, 24 port, silver |
| 760237065 | 360-IPR-SMOD-A-6A-2U-48 | SYSTIMAX 360™ GigaSHIELD X10D shielded angled modular panel, Cat 6A, 2U, 48 port, silver |

GigaSHIELD X10D faceplates

GigaSHIELD X10D faceplates are made of high-impact, flame-retardant thermoplastic or stainless steel; thermoplastic faceplates come in six colors. Choose from one-, two-, four- and six-port configurations, labeled and non-labeled. Designs include flush mount, including thermoplastic and stainless steel, modular furniture and flush mount modular furniture faceplates. All faceplates are compatible with the new MGS600S M-style outlets.

Modular flush-mount faceplates

| MID | Product number | Ports | Labelled | Color |
|-----------|----------------|-------|----------|--------------|
| 760249144 | FP-LBL-1P-266 | 1 | Yes | Prowhite |
| 760249145 | FP-LBL-2P-266 | 2 | Yes | Prowhite |
| 760249146 | FP-LBL-4P-266 | 4 | Yes | Prowhite |
| 760249147 | FP-LBL-6P-266 | 6 | Yes | Prowhite |
| 760248924 | FP-LBL-1P-003 | 1 | Yes | Black |
| 760248925 | FP-LBL-2P-003 | 2 | Yes | Black |
| 760248926 | FP-LBL-4P-003 | 4 | Yes | Black |
| 760248927 | FP-LBL-6P-003 | 6 | Yes | Black |
| 760249136 | FP-LBL-1P-270 | 1 | Yes | Gray |
| 760249137 | FP-LBL-2P-270 | 2 | Yes | Gray |
| 760249138 | FP-LBL-4P-270 | 4 | Yes | Gray |
| 760249139 | FP-LBL-6P-270 | 6 | Yes | Gray |
| 760249168 | FP-LBL-1P-246 | 1 | Yes | Ivory |
| 760249169 | FP-LBL-2P-246 | 2 | Yes | Ivory |
| 760249170 | FP-LBL-4P-246 | 4 | Yes | Ivory |
| 760249171 | FP-LBL-6P-246 | 6 | Yes | Ivory |
| 760249128 | FP-LBL-1P-262 | 1 | Yes | Elec White |
| 760249129 | FP-LBL-2P-262 | 2 | Yes | Elec White |
| 760249130 | FP-LBL-4P-262 | 4 | Yes | Elec White |
| 760249131 | FP-LBL-6P-262 | 6 | Yes | Elec White |
| 760249152 | FP-LBL-1P-448 | 1 | Yes | Light Almond |
| 760249153 | FP-LBL-2P-448 | 2 | Yes | Light Almond |
| 760249154 | FP-LBL-4P-448 | 4 | Yes | Light Almond |
| 760249155 | FP-LBL-6P-448 | 6 | Yes | Light Almond |



GigaSHIELD X10D faceplates

Stainless steel faceplates

| MID | Product number | Description | Color |
|-----------|----------------|---------------------------------------|-----------------|
| 760100867 | M11SP | 1 port stainless steel faceplate | Stainless Steel |
| 760072074 | M11SP-L | 1 port 1 gang SS faceplate with label | Stainless Steel |
| 108615188 | M12SP | 2 port stainless steel faceplate | Stainless Steel |
| 760072181 | M12SP-L | 2 port 1 gang SS faceplate with label | Stainless Steel |
| 108615196 | M13SP 3 | 3 port stainless steel faceplate | Stainless Steel |
| 760072199 | M13SP-L | 3 port 1 gang SS faceplate with label | Stainless Steel |
| 108615204 | M14SP 4 | 4 port stainless steel faceplate | Stainless Steel |
| 760072207 | M14SP-L | 4 port 1 gang SS faceplate with label | Stainless Steel |
| 108615212 | M16SP 6 | 6 port stainless steel faceplate | Stainless Steel |
| 760072215 | M14SP-L | 6 port 1 gang SS faceplate with label | Stainless Steel |



Modular Furniture Faceplates

| MID | Product number | Description | Color |
|-----------|----------------|--|-------|
| 106650864 | M13C-003 | 3 port modular furniture faceplate (1.84 x 3.13 x 0.29 in) | Black |
| 106650880 | M13C-246 | 3 port modular furniture faceplate (1.84 x 3.13 x 0.29 in) | Ivory |
| 106650898 | M13C-262 | 3 port modular furniture faceplate (1.84 x 3.13 x 0.29 in) | White |
| 106701154 | M13C-270 | 3 port modular furniture faceplate (1.84 x 3.13 x 0.29 in) | Gray |
| 760118240 | M14CE-E-003 | Faceplate 0.08 snap | Black |
| 760118257 | M14CE-E-246 | Faceplate 0.08 snap | Ivory |
| 760118232 | M14CE-E-262 | Faceplate 0.08 snap | White |
| 760118265 | M14CE-E-270 | Faceplate 0.08 snap | Gray |



Flush Mount Modular Mounting Frame

| MID | Product number | Description | Color |
|-----------|----------------|---|----------|
| 108265430 | M108FR3-003 | M108 flush mounted modular mounting frame, three port | Black |
| 108265448 | M108FR3-246 | M108 flush mounted modular mounting frame, three port | Ivory |
| 108265455 | M108FR3-262 | M108 flush mounted modular mounting frame, three port | White |
| 760181867 | M108FR3-266 | M108 flush mounted modular mounting frame, three port | ProWhite |
| 108265463 | M108FR3-270 | M108 flush mounted modular mounting frame, three port | Gray |
| 760092163 | M108FR1-003 | M108 flush mounted modular mounting frame, one port | Black |
| 760092064 | M108FR1-148 | M108 flush mounted modular mounting frame, one port | Almond |
| 760092189 | M108FR1-262 | M108 flush mounted modular mounting frame, one port | White |



Surface-mount boxes

The GigaSHIELD X10D portfolio offers a diverse range of surface-mount boxes that fit our new MGS600S outlets. UL rated and specifically designed for copper connectivity and termination, these low-profile boxes are available in one-, two-, four- and 8-outlet configurations and a variety of colors. Plenum and non-plenum rated boxes enable use in most environments.

Surface mount box

| MID | Product number | Ports | Color |
|-----------|--------------------|-------|--------------|
| 760246267 | SMB-1P-003 | 1 | Black |
| 760248521 | SMB-1P-262 | 1 | Elec White |
| 760248522 | SMB-1P-270 | 1 | Gray |
| 760248523 | SMB-1P-266 | 1 | Prowhite |
| 760248524 | SMB-1P-448 | 1 | Light Almond |
| 760254710 | SMB-1P-246 | 1 | Ivory |
| 760246268 | SMB-2P-003 | 2 | Black |
| 760248525 | SMB-2P-262 | 2 | Elec White |
| 760248526 | SMB-2P-270 | 2 | Gray |
| 760248527 | SMB-2P-266 | 2 | Prowhite |
| 760248528 | SMB-2P-448 | 2 | Light Almond |
| 760254711 | SMB-2P-246 | 2 | Ivory |
| 760252766 | SMB-1P-262-PLENUM | 1 | Elec White |
| 760252768 | SMB-2P-262-PLENUM | 2 | Elec White |
| 760252767 | SMB-1P-003-PLENUM | 1 | Black |
| 760252769 | SMB-2P-003-PLENUM | 2 | Black |
| 760254556 | SMB-1P-448-PLENUM | 1 | Light Almond |
| 760254557 | SMB-2P-448-PLENUM | 2 | Light Almond |
| 760044990 | M204SMB-262 | 4 | Elec White |
| 760045005 | M204SMB-003 | 4 | Black |
| 760057414 | M208SMB-262 | 8 | Elec White |
| 760057422 | M208SMB-003 | 8 | Black |
| 760254381 | M204SMB-262-PLENUM | 4 | Elec White |
| 760254382 | M204SMB-003-PLENUM | 4 | Black |
| 760254383 | M208SMB-262-PLENUM | 8 | Elec White |
| 760254384 | M208SMB-003-PLENUM | 8 | Black |




DIN rail box and adapters

The GigaSHIELD X10D portfolio provides a DIN rail installation solution that includes DIN rail box and adapters. DIN rail box can support one six ports DDM module. DIN rail adapters are designed to assemble with SMB-1P/2P surface mount boxes.


DIN rail box and module

| MID | Description |
|-----------|----------------------------|
| 760258278 | DIN RAIL BOX, EMPTY, BLACK |
| 760256558 | CPP-UDDM-M-KIT-4PK |



DIN rail adapters

| MID | Description |
|-----------|-------------------------------|
| 760258274 | DIN RAIL ADAPTER, FTP, SMB-1P |
| 760258275 | DIN RAIL ADAPTER, UTP, SMB-1P |
| 760258276 | DIN RAIL ADAPTER, FTP, SMB-2P |
| 760258277 | DIN RAIL ADAPTER, UTP, SMB-2P |



* assemble with CommScope SMB-1P/2P surface mount box

InstaPATCH® Cu connectivity system

The InstaPATCH Cu preterminated copper solution is a factory-connectorized, factory-tested, modular connectivity system featuring panel modules, outlets, modular plugs, and InstaPATCH OneLink or blunt endpoints.

Engineered for cleaner, more convenient installation, InstaPATCH Cu preterminated copper cable assemblies can be installed in a fraction of the time needed for field-terminated solutions. Designed for high-density environments such as data centers, InstaPATCH Cu solutions are ideal for rapid deployment and high performance. Their modular design supports improved cable management and scalable capacity. By avoiding the labor costs associated with traditional, on-site termination, troubleshooting and rework, these preterminated solutions are a smart investment for any data center or colocation facility. Additionally, these InstaPATCH Cu solutions are warranted by CommScope and backed by our industry-leading connectivity experience and start-to-finish design support.

Copper assembly design

- Four-pair Category 6A F/UTP assemblies, six to 24 links
- Sleeving or hook-and-loop bundling options
- Design options include left, right or trident; series or paired; flat or angled
- Patch panel modules, outlets, modular plugs, InstaPATCH OneLink or blunt endpoints
- Sleeving or hook-n-loop bundling options available
- 23-inch breakout length from bundled exit
- Leg labels specify A or B side and the leg number
- 100% performance-tested to SYSTIMAX standards




| MID | Performance | Environmental Space | Shielding | Connector 1 | Connector 2 | Link Count | Description |
|-------|-------------|---------------------|-----------|-------------|-------------|------------|---------------------|
| CDAAB | Cat 6A | Plenum | F/UTP | 01S | 01S | 06 | IP6A-06PFTP-01S-01S |
| CDAAD | Cat 6A | Plenum | F/UTP | 01S | 01S | 12 | IP6A-12PFTP-01S-01S |
| CDAAG | Cat 6A | Plenum | F/UTP | 01S | 01S | 24 | IP6A-24PFTP-01S-01S |
| CEAAB | Cat 6A | Riser | F/UTP | 01S | 01S | 06 | IP6A-06RFTP-01S-01S |
| CEAAD | Cat 6A | Riser | F/UTP | 01S | 01S | 12 | IP6A-12RFTP-01S-01S |
| CEAAG | Cat 6A | Riser | F/UTP | 01S | 01S | 24 | IP6A-24RFTP-01S-01S |

Empty GigaSHIELD X10D modular panels

| Material ID | Product # | Description |
|-------------|----------------------|---|
| 760251248 | 360-IPR-SMOD-1U-24 | SYSTIMAX 360™ shielded modular panel, empty, 1U, 24 port, silver |
| 760251247 | 360-IPR-SMOD-2U-48 | SYSTIMAX 360™ shielded modular panel, empty, 2U, 48 port, silver |
| 760251246 | 360-IPR-SMOD-A-1U-24 | SYSTIMAX 360™ shielded angled modular panel, empty, 1U, 24 port, silver |
| 760251245 | 360-IPR-SMOD-A-2U-48 | SYSTIMAX 360™ shielded angled modular panel, empty, 2U, 48 port, silver |

InstaPATCH® Cu connectivity system



1. Cable type

| | |
|---|--------------------------------|
| A | Cat 6A X10D - U/UTP (Plenum) |
| B | Cat 6A X10D - U/UTP (Riser) |
| D | Cat 6A X10D - F/UTP (Plenum) |
| E | Cat 6A X10D - F/UTP (Riser) |
| G | Cat 6 XL - U/UTP (Plenum) |
| H | Cat 6 XL - U/UTP (Riser) |
| Y | Cat 6A X10D SD - U/UTP (Riser) |

2. Connector A

| | |
|---|---|
| A | Outlet - Single row standard density |
| B | Outlet - Dual row standard density |
| C | Outlet - Dual row high density |
| G | RJ45 Plug - Single row standard density |
| H | RJ45 Plug - Dual row standard density |
| J | RJ45 - Dual row high density |
| K | Outlet - MGS600S |
| N | 1100 Module |
| R | 360 1100 Evolve module |
| S | OneLink 2x6 |
| T | OneLink 2x4 |
| X | Unterminated |

3. Connector B

| | |
|---|---|
| A | Outlet - Single row standard density |
| B | Outlet - Dual row standard density |
| C | Outlet - Dual row high density |
| G | RJ45 Plug - Single row standard density |
| H | RJ45 Plug - Dual row standard density |
| J | RJ45 - Dual row high density |
| K | Outlet - MGS600S |
| N | 1100 Module |
| R | 360 1100 Evolve module |
| S | OneLink 2x6 |
| T | OneLink 2x4 |

4. Link

| | |
|---|----|
| B | 6 |
| D | 12 |
| G | 24 |

5. Orientation A

| | |
|---|-----------------------|
| 1 | Trident series flat |
| 2 | Right paired flat |
| 3 | Right series flat |
| 4 | Left paired flat |
| 5 | Left series flat |
| 6 | Trident paired flat |
| A | Trident series angled |
| B | Right paired angled |
| C | Right series angled |
| D | Left paired angled |
| E | Left series angled |
| F | Trident paired angled |

6. Orientation B

| | |
|---|-----------------------|
| 1 | Trident series flat |
| 2 | Right paired flat |
| 3 | Right series flat |
| 4 | Left paired flat |
| 5 | Left series flat |
| 6 | Trident paired flat |
| A | Trident series angled |
| B | Right paired angled |
| C | Right series angled |
| D | Left paired angled |
| E | Left series angled |
| F | Trident paired angled |
| X | Not applicable |

7. Bundling

| | |
|---|-------------|
| H | Hook-n-loop |
| S | Sleeving |

8. Labeling

| | |
|---|------------------|
| A | Generic labeling |
|---|------------------|

9. Outlet color

| | |
|---|----------------|
| 0 | Not applicable |
| 1 | Black (BK) |
| 2 | Blue (BL) |
| 8 | White (WH) |

10. Jacket color

| | |
|---|------------|
| 8 | White (WH) |
| C | Slate (SL) |
| 2 | Blue (BL) |

11. UOM

| | |
|---|-------|
| F | Foot |
| M | Meter |

12. Length

| | |
|-----|--|
| xxx | |
|-----|--|

Cords > 1m are authorized for use in channels and are an effective standalone method used to connect active devices

Cords < 1m are also valid elements for use in a channel or as an equipment interconnect, but due to their limited length are not guaranteed to meet component compliance requirements that were developed to assess the quality of longer cords.

imVision® automated infrastructure management (AIM)

CommScope's imVision automated infrastructure management (AIM) solution provides actionable insights and granular visibility into your network's complex, interdependent physical layer as well as the myriad devices connected to it. Consisting of intelligent panels, System Manager and controllers, imVision shows you exactly what you have, how different pieces interact, and where to find new optimization opportunities. Adding imVision network intelligence to your GigaSHIELD X10D network platform is quick, easy and seamless; it can be performed in the field without removing patch cords.

For network-driven businesses, imVision delivers three critical IT advantages:

Optimized capacity

The imVision solution automatically tracks and documents utilization of panels, cables and switch ports, providing real-time data that helps you optimize the capacity and planning of your physical-layer assets. Its sophisticated tools reveal all active components to show you where you can get more from the infrastructure you already have.

Optimized availability

The imVision solution reduces time-intensive manual processes, generating electronic work orders and enabling guided administration of connectivity changes, minimizing human error and network downtime. Visibility into end-to-end circuits means all changes are automatically fully documented. And, in the event of a network failure, a root cause analysis can be quickly established to help you get back online fast.

Optimized efficiency

Real-time management of the physical layer ensures that stranded switch ports are identified and repurposed rather than remaining idle while continuing to consume power. It also optimizes server deployment and commissioning.

imVision key features:

- Accurately documents end-to-end connectivity between networked devices
- Tracks all changes to physical-layer connections in real time
- Generates alerts for unauthorized or unplanned changes and any change to critical circuits
- Discovers and tracks network-connected devices
- Generates electronic work orders for guided deployment
- Delivers full reporting capabilities, including generation of custom reports
- Identifies unused IT assets and cabling available for reuse
- Simplifies and streamlines workflows through process automation
- Enables you to define custom fields associated to objects to track asset information

Data is the lifeblood of your company. To keep it flowing efficiently and freely, you need to make business-critical decisions based on information—not assumptions. imVision from CommScope gives you the visibility and insight you need to direct your network's functionality with confidence.

imVision Controller X

| Material ID | Product # | Description |
|-------------|-----------------|-----------------------|
| 760237876 | imV-CNTRL-X | imVision Controller X |
| 760237879 | imV-CNTRL-RK-XT | Rack Extender Kit |



Intelligent Panels


| Material ID | Product # | Description |
|---|------------------------|--|
| Panels with 24 jacks included in the kit | | |
| 760259242 | 360-IP-SMOD-6A-1U-24 | SYSTIMAX 360™ Intelligent Shielded Modular Panel, Cat 6A, 1U, 24 port, Silver |
| 760259243 | 360-IP-SMOD-A-6A-1U-24 | SYSTIMAX 360™ Intelligent Shielded Angled Modular Panel, Cat 6A, 1U, 24 port, Silver |
| Empty panels for InstaPATCH | | |
| 760259244 | 360-IP-SMOD-1U-24 | SYSTIMAX 360™ Intelligent Shielded Modular Panel, Empty, 1U, 24 port, Silver |
| 760259245 | 360-IP-SMOD-A-1U-24 | SYSTIMAX 360™ Intelligent Shielded Angled Modular Panel, Empty, 1U, 24 port, Silver |



VisiPORT™

The VisiPORT solution is a fast-deploying, stand-alone solution that monitors the status and capacity of all copper and fiber ports in real time. Intelligent panels with integrated sensors automatically detect port activity, alerting users to issues such as insufficient capacity, unauthorized patching, device availability and more. It shows you the number, type and location of all patch panels, and automatically documents all port activity. So you can accelerate and improve infrastructure management while eliminating the need for, and risks from, manual tracking and auditing. With automated email notifications and remote-controlled port LEDs, the VisiPORT solution enables managers to quickly guide onsite techs to ports needing attention.

The VisiPORT solution gives enterprise and data center teams a single source of truth for all network ports and the real-time insight to make data-driven decisions.



Controller

| Material ID | Product # | Description |
|-------------|---------------------|---------------------|
| 760258085 | VisiPORT Controller | VisiPORT Controller |
| 760237879 | imV-CNTRL-RK-XT | Rack Extender Kit |



Intelligent Panels

| Material ID | Product # | Description |
|---|------------------------|--|
| Panels with 24 jacks included in the kit | | |
| 760259242 | 360-IP-SMOD-6A-1U-24 | SYSTIMAX 360™ Intelligent Shielded Modular Panel, Cat 6A, 1U, 24 port, Silver |
| 760259243 | 360-IP-SMOD-A-6A-1U-24 | SYSTIMAX 360™ Intelligent Shielded Angled Modular Panel, Cat 6A, 1U, 24 port, Silver |
| Empty panels for InstaPATCH | | |
| 760259244 | 360-IP-SMOD-1U-24 | SYSTIMAX 360™ Intelligent Shielded Modular Panel, Empty, 1U, 24 port, Silver |
| 760259245 | 360-IP-SMOD-A-1U-24 | SYSTIMAX 360™ Intelligent Shielded Angled Modular Panel, Empty, 1U, 24 port, Silver |



Supported and warranted by the SYSTIMAX Assurance™ Program

The entire GigaSHIELD X10D shielded Cat 6A portfolio is backed by the global resources and technical expertise and product support of SYSTIMAX Assurance. The SYSTIMAX Assurance program is a bold new customer care initiative that delivers 360 degrees of support and performance, from inception to operation.


The SYSTIMAX Assurance program is the result of more than 40 years of ongoing dialogue with our customers. It is empowered by a global team of thoroughly trained SYSTIMAX technical experts and the CommScope Technical Assistance Center. In scope and resources, SYSTIMAX Assurance is unlike anything in the industry, yet the goal is so simple: Provide complete peace of mind.

The SYSTIMAX Assurance program is built on the strength and reputation of our legacy SYSTIMAX customer support program:

- 25-year extended product warranty
- 25-year applications assurance
- 24/7 online technical assistance
- Online product performance testing certificates (WebTrak®)

To this, we've added support services to keep you better informed, your people better trained, and your network better prepared for what's next:

- Digital warranty certificates
- Online product performance factory testing certificates
- Training for technical staff
- Local sales and technical support
- Free access to CommScope Infrastructure Academy
- Monthly newsletters and webinars
- Free 90-day imVision System Manager software trial
- Assistance with designs and BOMs
- Innovative self-service engineering tools
- Management and design software trials
- Onsite installation walkthroughs
- Onsite support
- RFP documentation assistance
- Rack elevations drawings
- FiberGuide® layout schematics and BOM
- BOM competitive cross reference
- Design tools and recommendations
- Solutions and product suggestions
- 24/7 online access to the Technical Assistance Center



The result is a single blanket of confidence and support—one that covers you from inception to operation and beyond. That's The SYSTIMAX Assurance program, one of the most, if not the most, comprehensive and robust customer support programs in the industry.

CommScope pushes the boundaries of communications technology with revolutionary ideas and ground-breaking discoveries that spark profound human achievement.

We collaborate with our customers and partners to design, create and build the world's most advanced networks. It is our passion and commitment to identify the next opportunity and realize a better tomorrow. Discover more at commscope.com

COMMSCOPE®

commscope.com

Visit our website or contact your local CommScope representative for more information.

© 2025 CommScope, LLC. All rights reserved.

CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see <https://www.commscope.com/trademarks>. All product names, trademarks and registered trademarks are property of their respective owners.